VOL. 700, NOS. 1 + 2 JOURNAL OF CHROMATOGRAPHY A 12 MAY 1995

CONTENTS

(Abstracts/Contents Lists published in Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Current Awareness in Biological Sciences (CABS), Current Contents/Life Sciences, Current Contents/Physical, Chemical & Earth Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CNRS, Referativnyi Zhurnal, Research Alert and Science Citation Index)

3RD INTERNATIONAL SYMPOSIUM ON CAPILLARY ELECTROPHORESIS, YORK, 24–26 AUGUST 1994

Preface
by D.M. Goodall IX

TECHNIQUES AND GENERAL

Appropriate calibration functions for capillary electrophoresis I. Precision and sensitivity using peak areas and heights
by H. Wätzig (Würzburg, Germany) 1

Appropriate calibration functions for capillary electrophoresis. II. Heteroscedasticity and its consequences
by K. Baumann (Berne, Switzerland) and H. Wätzig (Würzburg, Germany) 9

Influence of capillary dimensions on the performance of a coaxial capillary electrophoresis–electrospray mass spectrometry interface
by L.W. Tetler, P.A. Cooper and B. Powell (Manchester, UK) 21

Electrochromatography–electrospray mass spectrometry of textile dyes
by G.A. Lord, D.B. Gordon, L.W. Tetler and C.M. Carr (Manchester, UK) 27

Improving the UV detection sensitivity of condensed polyacrylamide gel-filled capillaries using non-flow buffer-filled capillaries as a detection cell
by Y. Chen, J.-V. Höltje and U. Schwarz (Tübingen, Germany) 35

CHIRAL SEPARATIONS

Enantiomeric resolution of chiral imidazole derivatives using capillary electrophoresis with cyclodextrin-type buffer modifiers
by B. Chankvetadze, G. Endresz and G. Blaschke (Münster, Germany) 43

Resolution of the enantiomers of oxamniquine by capillary electrophoresis and high-performance liquid chromatography with cyclodextrins and heparin as chiral selectors
by A.M. Abushoffa and B.J. Clark (Bradford, UK) 51

Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. II. A study of the enantiomeric separation of fluoxetine and norfluoxetine
by S. Piperaki (Athens, Greece) and S.G. Penn and D.M. Goodall (Heslington, UK) 59

Separation and identification of the *Z* and *E* isomers of 2-(3-pentenyl)pyridine by capillary electrophoresis and nuclear magnetic resonance spectroscopy
by A.G. McKillop and R.M. Smith (Loughborough, UK) and R.C. Rowe and S.A.C. Wren (Macclesfield, UK) . . 69

AMINO ACIDS, PEPTIDES, PROTEINS

Determination of tryptophan and kynurenine in brain microdialysis samples by capillary electrophoresis with electrochemical detection
by M.A. Malone, H. Zuo and S.M. Lunte (Lawrence, KS, USA) and M.R. Smyth (Dublin, Ireland) 73

Analysis of glutamate in striatal microdialysates using capillary electrophoresis and laser-induced fluorescence detection
by L.A. Dawson, J.M. Stow, C.T. Dourish and C. Routledge (Maidenhead, UK) 81

Separation of r-hirudin from similar substances by capillary electrophoresis
by C. Dette and H. Wätzig (Würzburg, Germany) 89

Analysis of metallothionein isoforms by capillary electrophoresis: optimisation of protein separation conditions using micellar electrokinetic capillary chromatography
by J.H. Beattie (Aberdeen, Scotland) and M.P. Richards (Beltsville, MD, USA) 95

Separation of β-lactoglobulin A, B and C variants of bovine whey using capillary zone electrophoresis
by G.R. Paterson, J.P. Hill and D.E. Otter (Palmerston North, New Zealand) 105

Comparison of capillary electrophoresis with traditional methods to analyse bovine whey proteins
by N.M. Kinghorn, C.S. Norris, G.R. Paterson and D.E. Otter (Palmerston North, New Zealand) 111

NUCLEIC ACIDS AND THEIR FRAGMENTS

Separation of transfer RNA and 5S ribosomal RNA using capillary electrophoresis
by E. Katsivela and M.G. Höfle (Braunschweig, Germany) 125

Sequencing of antisense DNA analogues by capillary gel electrophoresis with laser-induced fluorescence detection
by A. Belenky, D.L. Smisek and A.S. Cohen (Worcester, MA, USA) 137

Analysis of internucleosomal DNA fragmentation in apoptotic thymocytes by dynamic sieving capillary electrophoresis
by M.D. Evans and J.T. Wolfe (Leicester, UK), D. Perrett (London, UK) and J. Lunec and K.E. Herbert (Leicester, UK) 151

DRUG ANALYSIS

Determination of impurities in a novel analogue of adenosine 5′-triphosphate by capillary electrophoresis
by J.R. Dawson, S.C. Nichols and G.E. Taylor (Loughborough, UK) 163

Investigation and optimisation of the use of micellar electrokinetic chromatography for the analysis of six cardiovascular drugs
by A.E. Bretnall and G.S. Clarke (Moreton, UK) 173

Rapid determination of drugs in biofluids by capillary electrophoresis. Measurement of antipyrine in saliva for pharmacokinetic studies
by D. Perrett and G.A. Ross (London, UK) 179

Comparison of high-performance liquid chromatography and capillary electrophoresis for the determination of some bee venom components
by V. Pacáková, K. Štulík, P.T. Hau, I. Jelínek, I. Vinš and D. Sýkora (Prague, Czech Republic) 187

ENVIRONMENTAL APPLICATIONS

Separation of sulfonylurea metabolites in water by capillary electrophoresis
by G. Dinelli, A. Vicari and A. Bonetti (Bologna, Italy) 195

Detection and quantitation of sulfonylurea herbicides in soil at the ppb level by capillary electrophoresis
by G. Dinelli and A. Vicari (Bologna, Italy) and V. Brandolini (Ferrara, Italy) 201

AUTHOR INDEX 209